New U.S. Patent Application 10 #537811

AMENDMENTS TO THE CLAIMS:

JC17 Rec'd PCT/PTO 0 7 JUN 2005

The following listing of claims will replace all prior versions, and listings, of claims in the application:

Claims 1-8 Canceled

- 9. (New) A process for encapsulating a liposoluble active principle in nanocapsules by preparing an emulsion, characterized in that:
- a) an aqueous phase and a fatty phase are provided,
- b) the temperature of the two phases is raised to a temperature above the phase inversion temperature,
- c) the two phases are mixed together,
- d) the liposoluble active principle is incorporated into the liposoluble phase,
- e) the temperature is lowered to the phase inversion temperature,
- f) once the phase inversion is effective and the emulsion is in the aqueous continuous phase, the emulsion obtained is annealed to lower its temperature.
- 10. (New) The process as claimed in claim 9, characterized in that step c') is performed, which consists in lowering the temperature to a temperature immediately above the phase inversion temperature before incorporating the active principle.
- 11. (New) The process as claimed in claim 9, characterized in that step c) is performed before step b).
- 12. (New) The process as claimed in claim 9, characterized in that the emulsion obtained is then concentrated by withdrawal of some of the aqueous phase.

- 13. (New) The process as claimed in claim 9, characterized in that step e) is performed by adding an additional amount of aqueous phase brought to a temperature below the phase inversion temperature.
- 14. (New) The process as claimed in claim 9, characterized in that the active principle is dissolved in an additional amount of fatty phase before being incorporated into the system.
- 15. (New) The process as claimed in claim 9, characterized in that the active principle is chosen from the group consisting of liposoluble vitamins such as retinol, retinoids, vitamin E and carotenoids, polyphenols and fragrance components.
- 16. (New) An emulsion that may be obtained via a process as claimed in claim 9, characterized in that the size of the nanocapsules is on average less than 300 nm.